


| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--------------------------|------------------|---------|------------------|
| L1 | 8445 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory)) same (memory near2 control\$3) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:36 |
| L2 | 175 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory)) same (memory near2 control\$3) same (ECC or (error\$1 near2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4)) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:38 |
| L3 | 78 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory)) same (memory near2 control\$3) same (ECC or (error\$1 near2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4)) same (computer or host or CPU or processor or (external adj2 machine) or (extenal adj2 device)) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:40 |
| L4 | 74 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory)) same (memory near2 control\$3) same (ECC or (error adj2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4)) same (computer or host or CPU or processor or (external adj2 machine) or (extenal adj2 device)) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:42 |
| L11 | 123 | (((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory))) and ((memory near2 control\$3) same (ECC or (error adj2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4))) and (computer or host or CPU or processor or (external adj2 machine) or (extenal adj2 device))) and (714/;.ccls.) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:47 |

| | | | | | | |
|-----|----|---|--------------------------|----|-----|------------------|
| L12 | 67 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory))) and ((memory near2 control\$3) same (ECC or (error adj2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4))) same (computer or host or CPU or processor or (external adj2 machine) or (extenal adj2 device))) and (714/;.ccls.) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:48 |
| L13 | 12 | ((non-volatile adj2 memory) or (non-volatile adj2 storage) or EPROM or (flash adj2 memory))) same ((memory near2 control\$3) same (ECC or (error adj2 correct\$4) or EDC or (error near2 correct\$4 near2 detect\$4))) same (computer or host or CPU or processor or (external adj2 machine) or (extenal adj2 device))) and (714/;.ccls.) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/03/03 15:48 |



» See

Help FAQ Terms IEEE Peer Review

Quick Links

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

Topics of Interest

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Xplore

- Access the IEEE Enterprise File Cabinet

Print FormatYour search matched **172** of **1131693** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

 Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 The dependence of the output Stokes parameters on the state of an arbitrarily located polarization controller in PMD mitigation schemes***Zadok, A.; Simon, N.; Eyal, A.;*

Lightwave Technology, Journal of, Volume: 22, Issue: 6, June 2004

Pages:1533 - 1538

[\[Abstract\]](#) [\[PDF Full-Text \(224 KB\)\]](#) **IEEE JNL****2 A robust velocity field control***Cervantes, I.; Kelly, R.; Alvarez-Ramirez, J.; Moreno, J.;*

Control Systems Technology, IEEE Transactions on, Volume: 10, Issue: 6, Nov 2002

Pages:888 - 894

[\[Abstract\]](#) [\[PDF Full-Text \(523 KB\)\]](#) **IEEE JNL****3 An adaptive fuzzy-synchronous machine stabilizer***Mrad, F.; Karaki, S.; Copti, B.;*

Systems, Man and Cybernetics, Part C, IEEE Transactions on, Volume: 30, Issue: 1, Feb. 2000

Pages:131 - 137

[\[Abstract\]](#) [\[PDF Full-Text \(268 KB\)\]](#) **IEEE JNL****4 A generic DSP-based real-time simulator with application to hydrogenerator speed controller development***Throckmorton, P.J.; Wozniak, L.;*

Energy Conversion, IEEE Transactions on, Volume: 9, Issue: 2, June 1994

Pages:238 - 242

[\[Abstract\]](#) [\[PDF Full-Text \(420 KB\)\]](#) [IEEE JNL](#)

5 Fuzzy gain scheduling of PID controllers

Zhen-Yu Zhao; Tomizuka, M.; Isaka, S.;
Systems, Man and Cybernetics, IEEE Transactions on , Volume: 23 , Issue: 5 , Sept.-Oct. 1993
Pages:1392 - 1398

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) [IEEE JNL](#)

6 Disturbance pattern classification and neuro-adaptive control

Cooper, D.J.; Megan, L.; Hinde, R.F., Jr.;
Control Systems Magazine, IEEE , Volume: 12 , Issue: 2 , April 1992
Pages:42 - 48

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) [IEEE JNL](#)

7 Control of end-point forces of a multijoint limb by functional neuromuscular stimulation

Lan, N.; Crago, P.E.; Chizeck, H.J.;
Biomedical Engineering, IEEE Transactions on , Volume: 38 , Issue: 10 , Oct. 1992
Pages:953 - 965

[\[Abstract\]](#) [\[PDF Full-Text \(1108 KB\)\]](#) [IEEE JNL](#)

8 A globally convergent angular velocity observer for rigid body motion

Salcudean, S.;
Automatic Control, IEEE Transactions on , Volume: 36 , Issue: 12 , Dec. 1991
Pages:1493 - 1497

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) [IEEE JNL](#)

9 Zero tracking error controller for three-phase CVCF PWM inverter

Keliang Zhou; Danwei Wang;
Electronics Letters , Volume: 36 , Issue: 10 , 11 May 2000
Pages:864 - 865

[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) [IEE JNL](#)

10 Selftuning robot control laws

Vibet, C.;
Electronics Letters , Volume: 27 , Issue: 15 , 18 July 1991
Pages:1323 - 1324

[\[Abstract\]](#) [\[PDF Full-Text \(156 KB\)\]](#) [IEE JNL](#)

11 New results on adaptive compliance control for dexterous manipulation

Colbaugh, R.; Glass, K.; Seraji, H.;
American Control Conference, 1994 , Volume: 1 , 29 June-1 July 1994
Pages:614 - 620 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(556 KB\)\]](#) [IEEE CNF](#)

12 Stability and power quality enhancement using a coordinated capacitor compensation and tuned arm filter

Sharaf, A.M.; El-Moursi, M.S.;

Industrial Electronics Society, 2003. IECON '03. The 29th Annual Conference of IEEE, Volume: 1, 2-6 Nov. 2003

Pages:525 - 530 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(518 KB\)\]](#) [IEEE CNF](#)

13 An ACS robotic control algorithm with fault tolerant capabilities

Yu, S.-Y.; Saxena, N.; McCluskey, E.J.;

Field-Programmable Custom Computing Machines, 2000 IEEE Symposium on, 19 April 2000

Pages:175 - 184

[\[Abstract\]](#) [\[PDF Full-Text \(760 KB\)\]](#) [IEEE CNF](#)

14 Enhancing the trajectory tracking performance capabilities of position controlled manipulators

Colbaugh, R.D.; Bassi, E.; Benzi, F.; Trabatti, M.;

Industry Applications Conference, 2000. Conference Record of the 2000

IEEE, Volume: 2, 8-12 Oct. 2000

Pages:1170 - 1177 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(612 KB\)\]](#) [IEEE CNF](#)

15 Structure analysis of three-dimensional fuzzy controller and its relationship to PID controller

Xiangjie Liu; Huanshui Zhang; Tianyou Chai;

Decision and Control, 1997., Proceedings of the 36th IEEE Conference on, Vol. 4, 10-12 Dec. 1997

Pages:3350 - 3351 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(140 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)
